



# SAFETY DATA SHEET

## 1. Identification

**Product identifier** RTV Silicone Sealant - Red (pressurized)

**Other means of identification**

**Product code** 14059

**Recommended use** Sealant and adhesive

**Recommended restrictions** None known.

**Manufacturer/Importer/Supplier/Distributor information**

**Manufactured or sold by:**

**Company name** CRC Industries, Inc.

**Address** 885 Louis Dr.  
Warminster, PA 18974 US

**Telephone**

**General Information** 215-674-4300

**Technical Assistance** 800-521-3168

**Customer Service** 800-272-4620

**24-Hour Emergency** 800-424-9300 (US)

**(CHEMTREC)** 703-527-3887 (International)

**Website** www.crcindustries.com

## 2. Hazard(s) identification

**Physical hazards** Gases under pressure Compressed gas

**Health hazards** Sensitization, skin Category 1

**Environmental hazards** Hazardous to the aquatic environment, acute hazard Category 3

Hazardous to the aquatic environment, long-term hazard Category 3

**OSHA defined hazards** Not classified.

**Label elements**



**Signal word** Warning

**Hazard statement** Contains gas under pressure; may explode if heated. May cause an allergic skin reaction. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

**Precautionary statement**

**Prevention**

Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 49°C/120°F. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Avoid breathing gas. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. Avoid release to the environment.

**Response** If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical attention. Wash contaminated clothing before reuse.

**Storage** Protect from sunlight. Store in a well-ventilated place. Exposure to high temperature may cause can to burst.

**Disposal** Dispose of contents/container in accordance with local/regional/national regulations.

**Hazard(s) not otherwise classified (HNOC)** None known.

## Supplemental information

When exposed to water or humid air, product evolves Methyl ethyl ketoxime.

### 3. Composition/information on ingredients

#### Mixtures

| Chemical name                            | Common name and synonyms | CAS number | %       |
|------------------------------------------|--------------------------|------------|---------|
| Polydimethylsiloxane, hydroxy-terminated |                          | 70131-67-8 | >= 60   |
| Polydimethylsiloxane                     |                          | 63148-62-9 | 10 - 20 |
| Fumed silica                             |                          | 68611-44-9 | 5 - 10  |
| Iron oxide                               |                          | 1309-37-1  | 5 - 10  |
| Methyl tri(ethylmethylketoxime) silane   |                          | 22984-54-9 | 3 - 5   |
| Ethyl tri(ethylmethylketoxime) silane    |                          | 2224-33-1  | 1 - 3   |
| Nitrogen                                 |                          | 7727-37-9  | 1 - 3   |

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

|                                                                               |                                                                                                                                                                                  |
|-------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation</b>                                                             | Move to fresh air. Call a physician if symptoms develop or persist.                                                                                                              |
| <b>Skin contact</b>                                                           | Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. |
| <b>Eye contact</b>                                                            | Rinse with water. Get medical attention if irritation develops and persists.                                                                                                     |
| <b>Ingestion</b>                                                              | In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth.                                                                                   |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Dermatitis. Rash. May cause an allergic skin reaction.                                                                                                                           |
| <b>Indication of immediate medical attention and special treatment needed</b> | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.                                                           |
| <b>General information</b>                                                    | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.                        |

### 5. Fire-fighting measures

|                                                                      |                                                                                                                                                                  |
|----------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Suitable extinguishing media</b>                                  | Foam. Dry chemicals. Carbon dioxide (CO2). Water spray.                                                                                                          |
| <b>Unsuitable extinguishing media</b>                                | None known.                                                                                                                                                      |
| <b>Specific hazards arising from the chemical</b>                    | Contents under pressure. When exposed to water or humid air, product evolves Methyl ethyl ketoxime.                                                              |
| <b>Special protective equipment and precautions for firefighters</b> | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. |
| <b>Fire-fighting equipment/instructions</b>                          | In case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without risk.                                                       |

### 6. Accidental release measures

|                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| <b>Methods and materials for containment and cleaning up</b>               | Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. The product is immiscible with water and will sediment in water systems. Stop the flow of material, if this is without risk. Collect spillage. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS.                                       |
| <b>Environmental precautions</b>                                           | Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.                                                                                                                                                                                                           |

## 7. Handling and storage

### Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. Avoid breathing gas. Avoid contact with eyes, skin, and clothing. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid release to the environment. Do not empty into drains. For product usage instructions, please see the product label.

### Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

Contents under pressure. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components                 | Type | Value    | Form  |
|----------------------------|------|----------|-------|
| Iron oxide (CAS 1309-37-1) | PEL  | 10 mg/m3 | Fume. |

#### US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|------------|------|-------|------|
|------------|------|-------|------|

|                            |     |         |                      |
|----------------------------|-----|---------|----------------------|
| Iron oxide (CAS 1309-37-1) | TWA | 5 mg/m3 | Respirable fraction. |
|----------------------------|-----|---------|----------------------|

#### US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value | Form |
|------------|------|-------|------|
|------------|------|-------|------|

|                            |     |         |                |
|----------------------------|-----|---------|----------------|
| Iron oxide (CAS 1309-37-1) | TWA | 5 mg/m3 | Dust and fume. |
|----------------------------|-----|---------|----------------|

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Exposure guidelines

Occupational Exposure Limits are not relevant to the current physical form of the product.

### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear safety glasses with side shields (or goggles).

#### Skin protection

##### Hand protection

Wear protective gloves such as: Nitrile. Butyl rubber.

##### Other

Wear appropriate chemical resistant clothing.

#### Respiratory protection

No personal respiratory protective equipment normally required. If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.

#### Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

### General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

### Appearance

**Physical state** Solid.

**Form** Paste.

**Color** Red.

**Odor** Oxime.

|                                                     |                      |
|-----------------------------------------------------|----------------------|
| Odor threshold                                      | Not available.       |
| pH                                                  | Not available.       |
| Melting point/freezing point                        | Not available.       |
| Initial boiling point and boiling range             | Not available.       |
| Flash point                                         | Not applicable.      |
| Evaporation rate                                    | Not available.       |
| Flammability (solid, gas)                           | Not available.       |
| <b>Upper/lower flammability or explosive limits</b> |                      |
| Flammability limit - lower (%)                      | Not available.       |
| Flammability limit - upper (%)                      | Not available.       |
| Vapor pressure                                      | 0.0003 hPa estimated |
| Vapor density                                       | > 1 (air = 1)        |
| Relative density                                    | 1.05                 |
| Solubility (water)                                  | Insoluble.           |
| Partition coefficient (n-octanol/water)             | Not available.       |
| Auto-ignition temperature                           | Not available.       |
| Decomposition temperature                           | Not available.       |
| Viscosity (kinematic)                               | Not available.       |
| Percent volatile                                    | < 3 %                |

## 10. Stability and reactivity

|                                    |                                                                                                                                          |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | The product is stable and non-reactive under normal conditions of use, storage and transport.                                            |
| Chemical stability                 | Material is stable under normal conditions.                                                                                              |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use.                                                                              |
| Conditions to avoid                | Heat, flames and sparks. Contact with incompatible materials. When exposed to water or humid air, product evolves Methyl ethyl ketoxime. |
| Incompatible materials             | Strong oxidizing agents. Moist air. Water, moisture.                                                                                     |
| Hazardous decomposition products   | Carbon oxides. Traces of incompletely burned carbon compounds. Silicone dioxide. Nitrogen oxides (NOx). Formaldehyde.                    |

## 11. Toxicological information

### Information on likely routes of exposure

|                                                                              |                                                                                                                                                                                                                                                                                          |
|------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Inhalation                                                                   | Material is not likely to present an inhalation hazard at ambient conditions. However, if material is heated or high vapor concentrations are attained, central nervous system depression may occur, which is characterized by drowsiness, dizziness, confusion or loss of coordination. |
| Skin contact                                                                 | May cause an allergic skin reaction.                                                                                                                                                                                                                                                     |
| Eye contact                                                                  | Direct contact with eyes may cause temporary irritation.                                                                                                                                                                                                                                 |
| Ingestion                                                                    | Expected to be a low ingestion hazard.                                                                                                                                                                                                                                                   |
| Symptoms related to the physical, chemical and toxicological characteristics | Dermatitis. Rash. May cause an allergic skin reaction.                                                                                                                                                                                                                                   |

### Information on toxicological effects

|                |                                      |
|----------------|--------------------------------------|
| Acute toxicity | May cause an allergic skin reaction. |
|----------------|--------------------------------------|

| Product                                  | Species | Test Results          |
|------------------------------------------|---------|-----------------------|
| RTV Silicone Sealant - Red (pressurized) |         |                       |
| <b>Acute</b>                             |         |                       |
| <b>Dermal</b>                            |         |                       |
| LD50                                     | Rabbit  | 13333 mg/kg estimated |

| Product      | Species | Test Results          |
|--------------|---------|-----------------------|
| Oral<br>LD50 | Rat     | 66667 mg/kg estimated |

\* Estimates for product may be based on additional component data not shown.

|                                          |                                                                                                                  |
|------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| <b>Skin corrosion/irritation</b>         | Prolonged skin contact may cause temporary irritation.                                                           |
| <b>Serious eye damage/eye irritation</b> | Direct contact with eyes may cause temporary irritation.                                                         |
| <b>Respiratory sensitization</b>         | Not a respiratory sensitizer.                                                                                    |
| <b>Skin sensitization</b>                | May cause an allergic skin reaction.                                                                             |
| <b>Germ cell mutagenicity</b>            | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| <b>Carcinogenicity</b>                   | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.                                  |

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Iron oxide (CAS 1309-37-1) 3 Not classifiable as to carcinogenicity to humans.

|                                                           |                                                                              |
|-----------------------------------------------------------|------------------------------------------------------------------------------|
| <b>Reproductive toxicity</b>                              | This product is not expected to cause reproductive or developmental effects. |
| <b>Specific target organ toxicity - single exposure</b>   | Not classified.                                                              |
| <b>Specific target organ toxicity - repeated exposure</b> | Not classified.                                                              |
| <b>Aspiration hazard</b>                                  | Not likely, due to the form of the product.                                  |

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.

| Product                                  | Species |                                       | Test Results                     |
|------------------------------------------|---------|---------------------------------------|----------------------------------|
| RTV Silicone Sealant - Red (pressurized) |         |                                       |                                  |
| Aquatic                                  |         |                                       |                                  |
| Fish                                     | LC50    | Fish                                  | 95.4333 mg/l, 96 hours estimated |
| Components                               | Species |                                       | Test Results                     |
| Polydimethylsiloxane (CAS 63148-62-9)    |         |                                       |                                  |
| Aquatic                                  |         |                                       |                                  |
| Fish                                     | LC50    | Channel catfish (Ictalurus punctatus) | 2.36 - 4.15 mg/l, 96 hours       |

\* Estimates for product may be based on additional component data not shown.

|                                                          |                                                                                                                                                                                         |
|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Persistence and degradability</b>                     | Not available.                                                                                                                                                                          |
| <b>Bioaccumulative potential</b>                         | Not available.                                                                                                                                                                          |
| <b>Partition coefficient n-octanol / water (log Kow)</b> |                                                                                                                                                                                         |
| Nitrogen                                                 | 0.67                                                                                                                                                                                    |
| <b>Mobility in soil</b>                                  | No data available.                                                                                                                                                                      |
| <b>Other adverse effects</b>                             | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

## 13. Disposal considerations

|                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Disposal of waste from residues / unused products</b> | This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Consult authorities before disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose in accordance with all applicable regulations. |
| <b>Hazardous waste code</b>                              | Not regulated.                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Contaminated packaging</b>                            | Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.                                                                                                                                                                                                                 |

## 14. Transport information

|                  |        |
|------------------|--------|
| <b>DOT</b>       |        |
| <b>UN number</b> | UN1950 |

|                                     |                                                                         |
|-------------------------------------|-------------------------------------------------------------------------|
| <b>UN proper shipping name</b>      | Aerosols, non-flammable, Limited Quantity                               |
| <b>Transport hazard class(es)</b>   |                                                                         |
| <b>Class</b>                        | 2.2                                                                     |
| <b>Subsidiary risk</b>              | -                                                                       |
| <b>Label(s)</b>                     | 2.2                                                                     |
| <b>Packing group</b>                | Not applicable.                                                         |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |
| <b>Special provisions</b>           | Not available.                                                          |
| <b>Packaging exceptions</b>         | 306                                                                     |
| <b>Packaging non bulk</b>           | None                                                                    |
| <b>Packaging bulk</b>               | None                                                                    |

#### IATA

|                                     |                                                                         |
|-------------------------------------|-------------------------------------------------------------------------|
| <b>UN number</b>                    | UN1950                                                                  |
| <b>UN proper shipping name</b>      | Aerosols, non-flammable, Limited Quantity                               |
| <b>Transport hazard class(es)</b>   |                                                                         |
| <b>Class</b>                        | 2.2                                                                     |
| <b>Subsidiary risk</b>              | -                                                                       |
| <b>Packing group</b>                | Not applicable.                                                         |
| <b>Environmental hazards</b>        | No.                                                                     |
| <b>ERG Code</b>                     | 2L                                                                      |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |
| <b>Other information</b>            |                                                                         |
| <b>Passenger and cargo aircraft</b> | Allowed.                                                                |
| <b>Cargo aircraft only</b>          | Allowed.                                                                |

#### IMDG

|                                     |                                                                         |
|-------------------------------------|-------------------------------------------------------------------------|
| <b>UN number</b>                    | UN1950                                                                  |
| <b>UN proper shipping name</b>      | AEROSOLS, LIMITED QUANTITY                                              |
| <b>Transport hazard class(es)</b>   |                                                                         |
| <b>Class</b>                        | 2                                                                       |
| <b>Subsidiary risk</b>              | -                                                                       |
| <b>Packing group</b>                | Not applicable.                                                         |
| <b>Environmental hazards</b>        |                                                                         |
| <b>Marine pollutant</b>             | No.                                                                     |
| <b>EmS</b>                          | Not available.                                                          |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |

## 15. Regulatory information

**US federal regulations** All components are on the U.S. EPA TSCA Inventory List.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### SARA 304 Emergency release notification

Not regulated.

### US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Not listed.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

### CERCLA Hazardous Substances: Reportable quantity

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

|                                                                    |                                                                                                                      |
|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>Safe Drinking Water Act (SDWA)</b>                              | Not regulated.                                                                                                       |
| <b>Food and Drug Administration (FDA)</b>                          | Not regulated.                                                                                                       |
| <b>Superfund Amendments and Reauthorization Act of 1986 (SARA)</b> |                                                                                                                      |
| <b>Section 311/312 Hazard categories</b>                           | Immediate Hazard - Yes<br>Delayed Hazard - No<br>Fire Hazard - No<br>Pressure Hazard - Yes<br>Reactivity Hazard - No |
| <b>SARA 302 Extremely hazardous substance</b>                      | No                                                                                                                   |

#### US state regulations

##### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

##### US. New Jersey Worker and Community Right-to-Know Act

Iron oxide (CAS 1309-37-1)

Nitrogen (CAS 7727-37-9)

##### US. Massachusetts RTK - Substance List

Iron oxide (CAS 1309-37-1)

Nitrogen (CAS 7727-37-9)

##### US. Pennsylvania Worker and Community Right-to-Know Law

Iron oxide (CAS 1309-37-1)

Nitrogen (CAS 7727-37-9)

##### US. Rhode Island RTK

None.

##### US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### Volatile organic compounds (VOC) regulations

##### EPA

**VOC content (40 CFR 51.100(s))** < 3 %

**Consumer products (40 CFR 59, Subpt. C)** Not regulated

##### State

**Consumer products** This product is regulated as a Sealant and Caulking Compound. This product is compliant for use in all 50 states.

**VOC content (CA)** < 3 %

**VOC content (OTC)** < 3 %

#### International Inventories

| Country(s) or region | Inventory name                                                         | On inventory (yes/no)* |
|----------------------|------------------------------------------------------------------------|------------------------|
| Australia            | Australian Inventory of Chemical Substances (AICS)                     | Yes                    |
| Canada               | Domestic Substances List (DSL)                                         | Yes                    |
| Canada               | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe               | European Inventory of Existing Commercial Chemical Substances (EINECS) | No                     |
| Europe               | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                | Inventory of Existing and New Chemical Substances (ENCS)               | No                     |
| Korea                | Existing Chemicals List (ECL)                                          | Yes                    |
| New Zealand          | New Zealand Inventory                                                  | Yes                    |
| Philippines          | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                    |

|                             |                                               |                               |
|-----------------------------|-----------------------------------------------|-------------------------------|
| <b>Country(s) or region</b> | <b>Inventory name</b>                         | <b>On inventory (yes/no)*</b> |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes                           |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)  
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

---

|                            |                                                                              |
|----------------------------|------------------------------------------------------------------------------|
| <b>Issue date</b>          | 11-11-2014                                                                   |
| <b>Revision date</b>       | 05-29-2015                                                                   |
| <b>Prepared by</b>         | Allison Cho                                                                  |
| <b>Version #</b>           | 02                                                                           |
| <b>Further information</b> | Not available.                                                               |
| <b>HMIS® ratings</b>       | Health: 1<br>Flammability: 0<br>Physical hazard: 1<br>Personal protection: B |
| <b>NFPA ratings</b>        | Health: 1<br>Flammability: 0<br>Instability: 1                               |

**NFPA ratings**



**Disclaimer**

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries.